

Registered No. HSE-49/2015.

[Price : ₹.0-75 Paise.



తెలంగాణ రాజ పత్రము
RULES SUPPLEMENT TO PART - I
EXTRAORDINARY
OF
THE TELANGANA GAZETTE
PUBLISHED BY AUTHORITY

No. 134] HYDERABAD, WEDNESDAY, JUNE 1, 2016.

NOTIFICATIONS BY GOVERNMENT

—X—

LABOUR, EMPLOYMENT, TRAINING AND FACTORIES DEPARTMENT

(Labour)

**ADAPTATION OF ANDHRA PRADESH BOILERS RULES, 1967 TO
THE STATE OF TELANGANA.**

**[G.O. Ms. No. 43, Labour, Employment, Training and Factories
(Labour), 01st June, 2016.]**

In exercise of the powers conferred by section 101 of the Andhra Pradesh Reorganization Act, 2014 (Central Act No.6 of 2014), the Government of Telangana hereby adapt the Andhra Pradesh Boilers Rules, 1967 as amended from time to time which are in force as on 01.06.2014 to the State of Telangana with the following modifications, so as to facilitate its application to the State of Telangana:

1. This order may be called the Andhra Pradesh Boilers Rules, 1967 (Telangana Adaptation) Order, 2016.
2. It shall be deemed to have come into force w.e.f. 02.06.2014.

[1]

G-242.

3. Through out the Andhra Pradesh Boilers Rules, 1967 for the words “Andhra Pradesh” “occurring other wise than in a citation or description or title of other Laws including Rules as the case may be” the word “Telangana” shall be substituted.
4. For the purpose of this order the Expression “the State” shall have the same meaning and area as specified in section 3 of the Andhra Pradesh Reorganization Act, 2014.
5. In this Order, the “law” i.e. the Andhra Pradesh Boilers Rules, 1967 being adapted shall have the same meaning as defined in section 2(f) of the Andhra Pradesh Reorganization Act, 2014 (Central Act No.6 of 2014).
6. In rule 2, in clause (b) before the expression “Deputy Chief Inspector” the expression “competent person, Director of Boilers, Joint Director of Boilers” shall be inserted.
7. For rule 7, the following shall be substituted, namely:-

“7 (A) Fee for inspection of Boilers and Parts thereof under Construction shall be the same as prescribed in Regulation 395-A or as prescribed in the rule.

(B) Scrutiny fee:

1. For Feed Water heater and similar assembly drawings	Rs. 500.00
2. For Component Sub-Assembly drawings	Rs. 250.00
3. For single item Component drawing	Rs. 100.00
4. For additional or part drawing	Rs. 50.00
8. In rule 8(A), for the figures “Rs.100/-” the figures “Rs.500/-” shall be substituted and for the figures “Rs.30/-” the figures “Rs.100/-” shall be substituted. (Amendment carried as per GSR.No.285(E) dated.15.04.2015 of Central Boilers Board, New Delhi).
9. In rule 10 for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
10. In rule 11, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted and for the figures “Rs.10/-” the figures

“Rs.100/-” shall be substituted. (Amendment carried as per GSR.No.285(E) dated.15.04.2015 of Central Boilers Board, New Delhi).

11. In rule 12, for the figures “Rs.20/-” the figures “Rs.500/-” shall be substituted. (Amendment carried as per GSR.No.285(E) dated.15.04.2015 of Central Boilers Board, New Delhi).
12. After rule 15 and before rule 16 the following table shall be inserted. (As per the Gazette GSR No. 124(E) dated: 07.03.2012 of Central Boilers Board, New Delhi)

TABLE

Sl. No	Category	Method of Appointment
(1)	(2)	(3)
1	Director of Boilers	By promotion from Category 1A
1A	Joint Director of Boilers	By promotion from Category 2
2	Deputy Chief Inspector of Boilers	By promotion from Category 3
		By Direct recruitment
3	Inspector of Boilers	<p>a) degree in Mechanical or Production or Power plant or Metallurgical Engineering from a recognized university or equivalent</p> <p>b) Two years experience as a technical personnel in the design, construction erection, operation testing, repair, maintenance or inspection of boilers or in the implementation of the Boilers Act, 1923 and rules and regulations framed there under</p>

13. In rule 16 –
 - (1) in clause (a) -
 - (i) for words “Chief Inspector” the words “Director of Boilers” shall be substituted.

- (ii) for the words “Director of Boilers” the words “Secretary to Government, Labour Employment Training & Factories Department” shall be substituted.
 - (2) in clause (b) -
 - (i) for the words “The Deputy Chief Inspector” the words “The Joint Director of Boilers” shall be substituted.
 - (ii) for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
 - (3) in clause (c) for the words “Chief Inspector”, the words “Director of Boilers” shall be substituted.
 - (4) After clause (c), the following new clause shall be inserted, namely:-
 - “(d) An Inspector shall be subordinate to and shall work under the administrative control of the Director of Boilers / Chief Inspector of Boilers. He shall ordinarily be appointed to take charge of a specific area.”
14. In rule 17,
- (1) in sub-rule (1),
 - (i) for the words the “Chief Inspector” the words “Director of Boilers” shall be substituted.
 - (ii) before the words “Deputy Chief Inspector of Boilers” the words, “Joint Director of Boilers” shall be inserted.
 - (2) in sub-rule (2),
 - (i) for the words “the Chief Inspector” the words “Director of Boilers” shall be substituted.
 - (ii) in clause (c) before the words “Deputy Chief Inspector of Boilers” the words, “Joint Director of Boilers” shall be inserted.
 - (iii) in clause (k), before the words “Deputy Chief Inspector” the words “Joint Director of Boilers” shall be inserted.
 - (3) in sub-rule (3), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
 - (4) in sub-rule (4), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

- (5) in sub-rule (5), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
15. In rule 18, in sub-rule (1) for the words “Deputy Chief inspector of Boilers” the words “Joint Director of Boilers” shall be substituted.
16. After rule 18, the following new rules shall be added, namely:-
- “18.(A) Duties of Joint Director of Boilers:-
- (1) The Joint Director of Boilers shall carry out the original inspection of all Boilers where heating surface exceeds 93 sq. meters. and of stem pipes and other connected fittings for registration or renewal of certificates. Inspection shall be carried out strictly in accordance with the regulations and these rules.
- (2) The Joint Director of Boilers shall—
- (a) Assist the Director of Boilers in Administration
- (b) Enquire into serious accidents to boilers with in his jurisdiction and submit reports to the Director of Boilers for a personal enquiry by him, if considered necessary.
- (c) Maintain a memorandum of inspection book for each boiler as prescribed in regulation 386 under order their charge and submit to it the Director of Boilers / Chief Inspector for examination and counter signature after each inspection.
- (d) Receive applications for registration or inspection under section 7 or section 8.
- (e) Enquire into accidents of Boilers, steam pipes or connected fettlings and report to the Director of Boilers/Chief Inspector.
- (f) Report to the Director of Boilers/Chief Inspector cases of unreported accidents, discovered at the time of inspection.
- (g) Submit for the orders of the Director of Boilers/Chief Inspector.
1. the memorandum of inspection books of all boilers proposed for registration under section 7.
2. proposals for increasing or reducing the pressure of a Boilers after inspection under clause(a)(ii) of the second proviso sub-section (5) of section 8.

3. proposals for necessary repairs, structural alterations or renewals to a boiler after inspection under clause (b) of the second proviso to sub-section (5) of section 8.
 4. proposals for refusing to renew a certificate under section 8 and proposals for revoking or withdrawing a certificate or provisional order under section 11.
 5. report when boilers have not been properly prepared for inspection under section 14.
 6. proposal for prosecution under the Act, and forward the same with his recommendation to the Director of Boilers or Chief Inspector of Boilers.
- (h) Perform the duties of an Inspecting Officer when deputed to do so by the Inspecting Authority.
- (i) Keep a register of all registration and inspection fees received.
- (j) Maintain a register in Form A of all Boilers registered within the State and those which have been transferred to the State.
- (k) Perform the duties of an Inspecting Officer when deputed to do so by the Inspecting Authority.
- (l) Keep a register of all registration and inspection fees received.

The joint Director of Boilers may from time to time examine boilers in commission to ascertain if they are being operated in conformity with the terms and conditions specified in the certificate and advise owners on the safety in operation, good maintenance and periodic cleaning of boilers and feed water treatment.

18(B). Duties of Deputy Chief Inspector:-

- a. The Deputy Chief Inspector shall carry out the original inspection of all Boilers where heating surface exceeds 93 sq. meters and of steam pipes and other connected fittings for registration or renewal of certificates. Inspection shall be carried out strictly in accordance with the regulations and these rules.
- b. The Deputy Chief Inspector shall—
 - i. Maintain a memorandum of inspection book for each boiler

- as prescribed in regulation 386 under order their charge and submit to it the Director of Boilers/Chief Inspector for examination and counter signature after each inspection.
- ii. Receive applications for registration or inspection under section 7 or section 8.
 - iii. Enquire into accidents of Boilers, steam pipes or connected fettlings and report to the Director of Boilers/Chief Inspector.
 - iv. Report to the Director of Boilers/Chief Inspector cases of unreported accidents, discovered at the time of inspection.
 - v. Submit for the orders of the Director of Boilers/Chief Inspector.
 - 1. the memorandum of inspection books of all boilers proposed for registration under section 7.
 - 2. proposals for increasing or reducing the pressure of a Boilers after inspection under clause(a)(ii) of the second proviso sub-section (5) of section 8.
 - 3. proposals for necessary repairs, structural alterations or renewals to a boiler after inspection under clause (b) of the second proviso to sub-section (5) of section 8.
 - 4. proposals for refusing to renew a certificate under section 8 and proposals for revoking or withdrawing a certificate or provisional order under section 11.
 - 5. report when boilers have not been properly prepared for inspection under section 14.
 - 6. proposal for prosecution under the Act, and forward the same with his recommendation to the Director of Boilers or Chief Inspector of Boilers.
 - vi. Maintain a register in Form A of all Boilers registered within the State and those which have been transferred to the Sate.
 - vii. Perform the duties of an Inspecting Officer when deputed to do so by the Inspecting Authority.
 - viii. Keep a register of all registration and inspection fees received.

- ix. The Deputy Chief Inspector may from time to time examine boilers in commission to ascertain if they are being operated in conformity with the terms and conditions specified in the certificate and advise owners on the safety in operation, good maintenance and periodic cleaning of boilers and feed water treatment.

17. In rule 19, -

- (1) in sub-rule (1), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
- (2) in sub-rule 5,
 - (i) for the words “Chief Inspector” the words “Director of Boilers” shall be substituted and the words “Chief Inspector” shall be deleted.
 - (ii) in clause (b), the words “Form B-1” shall be omitted.
 - (iii) in clause (c), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted and the words “Chief Inspector” shall be deleted.
 - (iv) in clause (d), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
 - (v) in clause (e), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
 - (vi) In clause (f), for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

18. In rule 20, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

19. In rule 23, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

20. In rule 24, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

21. In rule 25, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

22. In rule 26, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

23. In rule 28, before the words “Deputy Chief Inspector” the words “Joint Director of Boilers” shall be inserted and for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
24. In rule 32, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
25. In rule 34, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
26. In rule 35, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
27. In rule 38, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
28. In rule 40, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
29. In rule 42, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
30. In rule 43, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.
31. In rule 44, for the words “Chief Inspector” the words “Director of Boilers” shall be substituted.

AHMAD NADEEM,
Principal Secretary to Government(FAC).

-----x-----